

TRICHOPTERA (chrostíci)

čeleď	taxon	číslo epruvety
Rhyacophilidae	<i>Rhyacophila</i> cf. <i>evoluta</i> McLachlan, 1879	87
	<i>Rhyacophila</i> cf. <i>fasciata</i> Hagen, 1859	1
	<i>Rhyacophila glareosa</i> McLachlan, 1867	131
	<i>Rhyacophila</i> cf. <i>mocsaryi</i> Klapálek, 1894	88
	<i>Rhyacophila</i> cf. <i>nubila</i> (Zetterstedt, 1840)	2
	<i>Rhyacophila philopotamoides</i> McLachlan, 1879	3
	<i>Rhyacophila pubescens</i> Pictet, 1834	4
	<i>Rhyacophila tristis</i> Pictet, 1834	5
Glossosomatidae	<i>Agapetus fuscipes</i> Curtis, 1834	6
	<i>Agapetus ochripes</i> Curtis, 1834	89
	<i>Glossosoma boltoni</i> Curtis, 1834	90
	<i>Glossosoma conformis</i> Neboiss, 1963	7
	<i>Glossosoma intermedium</i> (Klapálek, 1892)	135
	<i>Synagapetus dubitans</i> McLachlan, 1879	136
	<i>Synagapetus iridipennis</i> McLachlan, 1879	91
Hydroptilidae	<i>Hydroptila</i> spp.	8
	<i>Agraylea multipunctata</i> Curtis, 1834	137
	<i>Ithytrichia lamellaris</i> Eaton, 1873	9
Philopotamidae	<i>Philopotamus montanus</i> (Donovan, 1813)	10
	<i>Philopotamus ludificatus</i> McLachlan, 1878	11
	<i>Philopotamus variegatus</i> (Scopoli, 1763)	92
	<i>Wormaldia occipitalis</i> (Pictet, 1834)	12
Ecnomidae	<i>Ecnomus tenellus</i> (Rambur, 1842)	93
Hydropsychidae	<i>Cheumatopsyche lepida</i> (Pictet, 1834)	13
	<i>Hydropsyche angustipennis</i> (Curtis, 1834)	14
	<i>Hydropsyche bulbifera</i> McLachlan, 1878	15
	<i>Hydropsyche bulgaromanorum</i> Malicky, 1977	94
	<i>Hydropsyche contubernalis</i> McLachlan, 1865	16
	<i>Hydropsyche dinarica</i> Marinkovic, 1979	95
	<i>Hydropsyche exocellata</i> Dufour, 1841	96
	<i>Hydropsyche fulvipes</i> (Curtis, 1834)	97
	<i>Hydropsyche incognita</i> Pitsch, 1993	17
	<i>Hydropsyche instabilis</i> (Curtis, 1834)	18
	<i>Hydropsyche modesta</i> Navás, 1925	19
	<i>Hydropsyche pellucidula</i> (Curtis, 1834)	20
	<i>Hydropsyche saxonica</i> McLachlan, 1884	21
	<i>Hydropsyche silfvenii</i> (Ulmer, 1906)	98
	<i>Hydropsyche siltalai</i> Döhler, 1963	22
<i>Hydropsyche tenuis</i> Navás, 1932	99	
Polycentropodidae	<i>Cyrnus</i> cf. <i>flavidus</i> McLachlan, 1864	132
	<i>Cyrnus trimaculatus</i> (Curtis, 1834)	23
	<i>Holocentropus dubius</i> (Rambur, 1842)	24
	<i>Neureclipsis bimaculata</i> (Linnaeus, 1758)	25
	<i>Plectrocnemia brevis</i> McLachlan, 1871	26
	<i>Plectrocnemia conspersa</i> (Curtis, 1834)	27
	<i>Polycentropus flavomaculatus</i> (Pictet, 1834)	28
	<i>Polycentropus irrotatus</i> Curtis, 1835	100
	<i>Polycentropus</i> spp.	
Psychomyiidae	<i>Lype reducta</i> (Hagen, 1868)	138
	<i>Lype</i> spp.	29
	<i>Psychomyia pusilla</i> (Fabricius, 1781)	30
	<i>Tinodes</i> spp.	31
	<i>Tinodes waeneri</i> (Linnaeus, 1758)	32

Phryganeidae	<i>Agrypnia varia</i> Fabricius, 1793	33
	<i>Agrypnia varia/obsoleta</i>	139
	<i>Phryganea bipunctata</i> Retzius, 1783	101
	<i>Oligostomis reticulata</i> (Linnaeus, 1761)	34
	<i>Oligotricha striata</i> (Linnaeus, 1758)	35
	<i>Trichostegia minor</i> (Curtis, 1834)	36
Brachycentridae	<i>Brachycentrus maculatus</i> (Fourcroy, 1785)	102
	<i>Brachycentrus montanus</i> Klapálek, 1892	103
	<i>Brachycentrus subnubilus</i> Curtis, 1834	37
	<i>Micrasema longulum</i> McLachlan, 1876	104
	<i>Micrasema minimum</i> McLachlan, 1876	105
	<i>Micrasema setiferum</i> Pictet, 1834	106
Goeridae	<i>Goera pilosa</i> (Fabricius, 1775)	38
	<i>Lithax niger</i> (Hagen, 1859)	107
	<i>Lithax obscurus</i> (Hagen, 1859)	133
	<i>Silo nigricornis</i> (Pictet, 1834)	134
	<i>Silo pallipes</i> (Fabricius, 1781)	39
	<i>Silo piceus</i> (Brauer, 1857)	40
Lepidostomatidae	<i>Crunoecia irrorata</i> (Curtis, 1834)	41
	<i>Lasiocephala basalis</i> (Kolenati, 1848)	42
	<i>Lepidostoma hirtum</i> (Fabricius, 1775)	43
Leptoceridae	<i>Adicella fillicornis</i> (Pictet, 1834)	44
	<i>Adicella reducta</i> (McLachlan, 1865)	108
	<i>Athripsodes albifrons</i> (Linnaeus, 1758)	45
	<i>Athripsodes aterrimus</i> (Stephens, 1836)	46
	<i>Athripsodes bilineatus</i> (Linnaeus, 1758)	47
	<i>Athripsodes cinereus</i> (Curtis, 1834)	48
	<i>Ceraclea annulicornis</i> (Stephens, 1836)	109
	<i>Ceraclea dissimilis</i> (Stephens, 1836)	49
	<i>Ceraclea nigronervosa</i> (Retzius, 1783)	110
	<i>Leptocerus tineiformis</i> Curtis, 1834	111
	<i>Mystacides azurea</i> (Linnaeus, 1758)	50
	<i>Mystacides nigra/longicornis</i>	51
	<i>Oecetis furva</i> (Rambur, 1842)	86
	<i>Oecetis notata</i> (Rambur, 1842)	112
	<i>Oecetis ochracea</i> (Curtis, 1825)	113
	<i>Oecetis testacea</i> (Curtis, 1834)	114
Odontoceridae	<i>Odontocerum albicorne</i> (Scopoli, 1763)	52
Sericostomatidae	<i>Notidobia ciliaris</i> (Linnaeus, 1761)	53
	<i>Oecismus monedula</i> (Hagen, 1859)	115
	<i>Sericostoma</i> sp.	54
	<i>Sericostoma personatum</i> Kirby et Spencer, 1826	55
Beraeidae	<i>Beraea maurus</i> (Curtis, 1834)	56
	<i>Beraea pullata</i> (Curtis, 1834)	57
	<i>Beraeodes minutus</i> (Linnaeus, 1761)	58
	<i>Beraeamyia hrabei</i> Mayer, 1937	140
	<i>Ernodes articularis</i> (Pictet, 1834)	59
Molannidae	<i>Molanna angustata</i> Curtis, 1834	60

determinovali:
místo uložení:
kontaktní osoba:

RNDr. Petr Komzák a Mgr. Jindřiška Bojková
ÚBZ, budova č. 10, pracovna hydrobiologie - dveře č. 223;
Mgr. Jindřiška Bojková (bojkova@centrum.cz)

TRICHOPTERA (chrostíci)

Limnephilidae

Limnephilidae		
Dicosmoecinae	<i>Ironoquia dubia</i> (Stephens, 1837)	61
Apataniidae	<i>Apatania fimbriata</i> (Pictet, 1834)	116
Drusinae	<i>Anomalopterygella chauviniana</i> (Stein, 1874)	117
	<i>Drusus annulatus</i> (Stephens, 1837)	118
	<i>Drusus discolor</i> (Rambur, 1842)	119
	<i>Ecclisopteryx dalecarlica</i> Kolenati, 1848	62
	<i>Ecclisopteryx guttulata</i> (Pictet, 1834)	120
	<i>Ecclisopteryx madida</i> (McLachlan, 1867)	63
Limnephilinae	<i>Allogamus auricollis</i> (Pictet, 1834)	64
	<i>Anobolia brevipennis</i> (Curtis, 1834)	129
	<i>Anobolia furcata</i> Brauer, 1857	65
	<i>Anobolia nervosa</i> (Curtis, 1834)	121
	<i>Chaetopterygopsis mclachlani</i> Stein, 1874	122
	<i>Chaetopteryx</i> cf. <i>fusca</i> Brauer, 1857	66
	<i>Chaetopteryx major</i> McLachlan, 1876	67
	<i>Chaetopteryx villosa</i> (Fabricius, 1789)	68
	<i>Glyphotaelius pellucidus</i> (Retzius, 1783)	123
	<i>Halesus digitatus/tesselatus</i>	69
	<i>Halesus radiatus</i> (Curtis, 1834)	70
	<i>Halesus rubricollis</i> (Pictet, 1834)	124
	<i>Hydatophylax infumatus</i> (McLachlani, 1865)	71
	<i>Limnephilus affinis/incisus</i>	141
	<i>Limnephilus auricula</i> Curtis, 1834	125
	<i>Limnephilus bipunctatus</i> Curtis, 1834	126
	<i>Limnephilus centralis</i> Curtis, 1834	72
	<i>Limnephilus extricatus</i> McLachlan, 1865	73
	<i>Limnephilus flavicornis</i> (Fabricius, 1787)	128
	<i>Limnephilus fuscicornis</i> (Rambur, 1842)	127
	<i>Limnephilus griseus</i> (Linnaeus, 1758)	142
	<i>Limnephilus lunatus</i> Curtis, 1834	74
	<i>Limnephilus rhombicus</i> (Linnaeus, 1758)	75
	<i>Limnephilus stigma</i> Curtis, 1834	76
	<i>Limnephilus vittatus</i> (Fabricius, 1798)	85
	<i>Micropterna</i> cf. <i>lateralis</i> (Stephens, 1834)	84
	<i>Micropterna</i> cf. <i>nycterobia</i> (McLachlan, 1875)	77
	<i>Nemotaulius punctatolineatus</i> (Retzius, 1783)	78
	<i>Parachiona picicornis</i> (Pictet, 1834)	130
	<i>Potamophylax cingulatus</i> (Stephens, 1837)	79
	<i>Potamophylax latipennis/luctuosus</i>	80
	<i>Potamophylax nigricornis</i> (Pictet, 1834)	81
	<i>Potamophylax rotundipennis</i> (Brauer, 1857)	82
<i>Stenophylax</i> cf. <i>permistus</i> McLachlan, 1895	83	

determinovali:

místo uložení:

kontaktní osoba:

RNDr. Petr Komzák a Mgr. Jindřiška Bojková

ÚBZ, budova č. 10, pracovna hydrobiologie - dveře č. 223;

Mgr. Jindřiška Bojková (bojkova@centrum.cz)