

Published checklist of Trichoptera of the Czech Republic:

Chvojka P. & Komzák P. 2008. - The history and present state of Trichoptera research in the Czech Republic. Ferrantia, Travaux scientifiques du Musée national d'histoire naturelle Luxembourg 55: 11–21.
<http://www.mnhn.lu/recherche/ferrantia/publications/Ferrantia55.pdf>

Checklist of Trichoptera of the Czech Republic
(supplemented by new records)

(Taxa are listed according to Malicky 2005).

	Threat category	Czech Republic
Rhyacophilidae		
<i>Rhyacophila dorsalis persimilis</i> McLachlan, 1879	B	
<i>Rhyacophila evoluta</i> McLachlan, 1879	B	
<i>Rhyacophila fasciata</i> Hagen, 1859	B	M
<i>Rhyacophila glareosa</i> McLachlan, 1867	B	M
<i>Rhyacophila hirticornis</i> McLachlan, 1879	VU	B
<i>Rhyacophila laevis</i> Pictet, 1834	EN	B
<i>Rhyacophila mocsaryi</i> Klapálek, 1898	VU	M
<i>Rhyacophila nubila</i> (Zetterstedt, 1840)	B	M
<i>Rhyacophila obliterata</i> McLachlan, 1863	B	M
<i>Rhyacophila pascoei</i> McLachlan, 1879	RE	B
<i>Rhyacophila philopotamoides</i> McLachlan, 1879	VU	B
<i>Rhyacophila polonica</i> McLachlan, 1879	B	M
<i>Rhyacophila praemorsa</i> McLachlan, 1879	B	
<i>Rhyacophila pubescens</i> Pictet, 1834	B	M
<i>Rhyacophila torrentium</i> Pictet, 1834	VU	B
<i>Rhyacophila tristis</i> Pictet, 1834	B	M
<i>Rhyacophila vulgaris</i> Pictet, 1834	B	M
Glossosomatidae		
<i>Glossosoma boltoni</i> Curtis, 1834	B	M
<i>Glossosoma conformis</i> Neboiss, 1963	B	M
<i>Glossosoma intermedium</i> (Klapálek, 1892)	B	M

<i>Agapetus delicatulus</i> McLachlan, 1884	<i>CR</i>	B	M
<i>Agapetus fuscipes</i> Curtis, 1834		B	M
<i>Agapetus laniger</i> (Pictet, 1834)	<i>EN</i>	B	M
<i>Agapetus ochripes</i> Curtis, 1834		B	M
<i>Synagapetus armatus</i> (McLachlan, 1879)	<i>VU</i>		M
<i>Synagapetus dubitans</i> McLachlan, 1879	<i>DD</i>		M
<i>Synagapetus iridipennis</i> McLachlan, 1879		B	M
<i>Synagapetus moselyi</i> (Ulmer, 1938)	<i>VU</i>	B	M

Ptilocolepidae

<i>Ptilocolepus granulatus</i> (Pictet, 1834)		B	M
---	--	---	---

Hydroptilidae

<i>Hydroptila angulata</i> Mosely, 1922		B	M
<i>Hydroptila angustata</i> Mosely, 1939	<i>CR</i>	B	
<i>Hydroptila forcipata</i> (Eaton, 1873)		B	M
<i>Hydroptila lotensis</i> Mosely, 1930			M
<i>Hydroptila martini</i> Marshall, 1977	<i>VU</i>	B	
<i>Hydroptila occulta</i> (Eaton, 1873)	<i>CR</i>	B	M
<i>Hydroptila pulchricornis</i> Pictet, 1834		B	M
<i>Hydroptila simulans</i> Mosely, 1920		B	
<i>Hydroptila sparsa</i> Curtis, 1834		B	M
<i>Hydroptila taurica</i> Martynov, 1934	<i>CR</i>	B	
<i>Hydroptila tineoides</i> Dalman, 1819	<i>CR</i>	B	
<i>Hydroptila valesiaca</i> Schmid, 1947	<i>EN</i>	B	
<i>Hydroptila vectis</i> Curtis, 1834	<i>VU</i>	B	M
<i>Hydroptila vichtaspa</i> Schmid, 1959	<i>CR</i>		M
<i>Ithytrichia lamellaris</i> Eaton, 1873		B	M
<i>Orthotrichia angustella</i> (McLachlan, 1865)	<i>RE</i>	B	
<i>Orthotrichia costalis</i> (Curtis, 1834)		B	M
<i>Orthotrichia tragetti</i> Mosely, 1930	<i>EN</i>	B	M
<i>Allotrichia pallicornis</i> (Eaton, 1873)	<i>CR</i>	B	M
<i>Agraylea multipunctata</i> Curtis, 1834		B	M
<i>Agraylea sexmaculata</i> Curtis, 1834		B	M
<i>Tricholeiochiton fagesii</i> (Guinard, 1879)	<i>VU</i>	B	M

<i>Oxyethira falcata</i> Morton, 1893	<i>EN</i>	B	
<i>Oxyethira flavicornis</i> (Pictet, 1834)		B	M
<i>Oxyethira frici</i> Klapálek, 1891	<i>CR</i>	B	M
<i>Oxyethira simplex</i> Ris, 1897	<i>EN</i>	B	
<i>Oxyethira tristella</i> Klapálek, 1895	<i>RE</i>	B	

Philopotamidae

<i>Wormaldia copiosa</i> (McLachlan, 1868)	<i>EN</i>	B	M
<i>Wormaldia occipitalis</i> (Pictet, 1834)		B	M
<i>Wormaldia pulla</i> (McLachlan, 1878)	<i>VU</i>	B	M
<i>Wormaldia subnigra</i> McLachlan, 1865	<i>CR</i>	B	M
<i>Philopotamus ludificatus</i> McLachlan, 1878		B	M
<i>Philopotamus montanus</i> (Donovan, 1813)		B	M
<i>Philopotamus variegatus</i> (Scopoli, 1763)		B	M
<i>Chimarra marginata</i> (Linnaeus, 1767)	<i>RE</i>	B	M

Ecnomidae

<i>Ecnomus tenellus</i> (Rambur, 1842)		B	M
--	--	---	---

Polycentropodidae

<i>Holocentropus dubius</i> (Rambur, 1842)		B	M
<i>Holocentropus picicornis</i> (Stephens, 1836)		B	M
<i>Holocentropus stagnalis</i> (Albarda, 1874)	<i>VU</i>	B	M
<i>Cyrnus crenaticornis</i> (Kolenati, 1859)	<i>EN</i>	B	M
<i>Cyrnus flavidus</i> McLachlan, 1864		B	M
<i>Cyrnus insolitus</i> McLachlan, 1878	<i>VU</i>	B	
<i>Cyrnus trimaculatus</i> (Curtis, 1834)		B	M
<i>Polycentropus flavomaculatus</i> (Pictet, 1834)		B	M
<i>Polycentropus irroratus</i> (Curtis, 1835)	<i>VU</i>	B	M
<i>Neureclipsis bimaculata</i> (Linnaeus, 1758)		B	M
<i>Plectrocnemia brevis</i> McLachlan, 1871		B	M
<i>Plectrocnemia conspersa</i> (Curtis, 1834)		B	M
<i>Plectrocnemia geniculata</i> McLachlan, 1871	<i>VU</i>	B	M

Psychomyiidae

<i>Lype phaeopa</i> (Stephens, 1836)	B	M
<i>Lype reducta</i> (Hagen, 1868)	B	M
<i>Psychomyia pusilla</i> (Fabricius, 1781)	B	M
<i>Tinodes dives</i> (Pictet, 1834)	EN	B
<i>Tinodes kimminsi</i> Sýkora, 1962	CR	B
<i>Tinodes maclachlani</i> Kimmins, 1966	CR	B
<i>Tinodes pallidulus</i> McLachlan, 1878	B	M
<i>Tinodes rostocki</i> McLachlan, 1878	B	M
<i>Tinodes unicolor</i> (Pictet, 1834)	B	M
<i>Tinodes waeneri</i> (Linnaeus, 1758)	B	M

Hydropsychidae

<i>Cheumatopsyche lepida</i> (Pictet, 1834)	B	M
<i>Hydropsyche angustipennis</i> (Curtis, 1834)	B	M
<i>Hydropsyche botosaneanui</i> Marinković-Gospodnetić, 1966	VU	B
<i>Hydropsyche bulbifera</i> McLachlan, 1878	B	M
<i>Hydropsyche bulgaromanorum</i> Malicky, 1977	B	M
<i>Hydropsyche contubernalis</i> McLachlan, 1865	B	M
<i>Hydropsyche dinarica</i> Marinković-Gospodnetić, 1979	VU	B
<i>Hydropsyche exocellata</i> Dufour, 1841	VU	B
<i>Hydropsyche fulvipes</i> (Curtis, 1834)	EN	B
<i>Hydropsyche guttata</i> Pictet, 1834	VU	B
<i>Hydropsyche incognita</i> Pitsch, 1993	B	M
<i>Hydropsyche instabilis</i> (Curtis, 1834)	B	M
<i>Hydropsyche modesta</i> Navás, 1925		M
<i>Hydropsyche pellucidula</i> (Curtis, 1834)	B	M
<i>Hydropsyche saxonica</i> McLachlan, 1884	B	M
<i>Hydropsyche silfvenii</i> Ulmer, 1906	B	
<i>Hydropsyche siltalai</i> Döhler, 1963	B	M
<i>Hydropsyche tenuis</i> Navás, 1932	EN	B

Phryganeidae

<i>Agrypnia obsoleta</i> (McLachlan, 1865)	VU	B	M
<i>Agrypnia pagetana</i> Curtis, 1835	VU	B	M
<i>Agrypnia varia</i> (Fabricius, 1793)	B		M

<i>Hagenella clathrata</i> (Kolenati, 1848)	<i>EN</i>	B	M
<i>Oligostomis reticulata</i> (Linnaeus, 1761)	<i>VU</i>	B	M
<i>Oligotricha striata</i> (Linnaeus, 1758)		B	M
<i>Trichostegia minor</i> (Curtis, 1834)		B	M
<i>Phryganea bipunctata</i> Retzius, 1783		B	M
<i>Phryganea grandis</i> Linnaeus, 1758		B	M

Brachycentridae

<i>Brachycentrus maculatus</i> (Fourcroy, 1785)	<i>VU</i>	B	M
<i>Brachycentrus montanus</i> Klapálek, 1892		B	M
<i>Brachycentrus subnubilus</i> Curtis, 1834		B	M
<i>Micrasema longulum</i> McLachlan, 1876		B	M
<i>Micrasema minimum</i> McLachlan, 1876		B	M
<i>Micrasema setiferum</i> (Pictet, 1834)	<i>EN</i>	B	M

Goeridae

<i>Goera pilosa</i> (Fabricius, 1775)		B	M
<i>Lithax niger</i> (Hagen, 1859)		B	M
<i>Lithax obscurus</i> (Hagen, 1859)	<i>VU</i>	B	M
<i>Silo nigricornis</i> (Pictet, 1834)		B	M
<i>Silo pallipes</i> (Fabricius, 1781)		B	M
<i>Silo piceus</i> (Brauer, 1857)		B	M

Lepidostomatidae

<i>Lepidostoma basale</i> (Kolenati, 1848)		B	M
<i>Lepidostoma hirtum</i> (Fabricius, 1775)		B	M
<i>Crunoecia irrorata</i> (Curtis, 1834)		B	M

Limnephilidae

Dicosmoecinae			
<i>Ironoquia dubia</i> (Stephens, 1837)		B	M
Apataniinae			
<i>Apatania carpathica</i> Schmid, 1954	<i>DD</i>		M
<i>Apatania fimbriata</i> (Pictet, 1834)		B	M
<i>Apatania muliebris</i> McLachlan, 1866	<i>RE</i>	B	

Drusinae			
<i>Anomalopterygella chauviniana</i> (Stein, 1874)	B	M	
<i>Eccisopteryx dalecarlica</i> Kolenati, 1848	B	M	
<i>Eccisopteryx guttulata</i> (Pictet 1834)	B		
<i>Eccisopteryx madida</i> (McLachlan, 1867)	B	M	
<i>Drusus annulatus</i> (Stephens, 1837)	B	M	
<i>Drusus biguttatus</i> (Pictet, 1834)	EN	B	M
<i>Drusus chrysotus</i> (Rambur, 1842)	DD	B	
<i>Drusus discolor</i> (Rambur, 1842)	B	M	
<i>Drusus trifidus</i> (McLachlan, 1868)	B	M	
Limnephilinae: Limnephilini			
<i>Anabolia brevipennis</i> (Curtis, 1834)	B	M	
<i>Anabolia furcata</i> Brauer, 1857	B	M	
<i>Anabolia nervosa</i> (Curtis, 1834)	B		
<i>Glyphotaelius pellucidus</i> (Retzius, 1783)	B	M	
<i>Grammotaulius nigropunctatus</i> (Retzius, 1783)	B	M	
<i>Grammotaulius nitidus</i> (Müller, 1764)	EN	B	M
<i>Limnephilus affinis</i> Curtis, 1834	B	M	
<i>Limnephilus algosus</i> (McLachlan, 1868)	EN	B	
<i>Limnephilus auricula</i> Curtis, 1834	B	M	
<i>Limnephilus binotatus</i> Curtis, 1834	CR	B	M
<i>Limnephilus bipunctatus</i> Curtis, 1834	B	M	
<i>Limnephilus centralis</i> Curtis, 1834	B	M	
<i>Limnephilus coenosus</i> Curtis, 1834	B	M	
<i>Limnephilus decipiens</i> (Kolenati, 1848)	B	M	
<i>Limnephilus elegans</i> Curtis, 1834	VU	B	M
<i>Limnephilus extricatus</i> McLachlan, 1865	B	M	
<i>Limnephilus flavicornis</i> (Fabricius, 1787)	B	M	
<i>Limnephilus fuscicornis</i> Rambur, 1842	VU	B	M
<i>Limnephilus germanus</i> McLachlan, 1875	EN	B	
<i>Limnephilus griseus</i> (Linnaeus, 1758)	B	M	
<i>Limnephilus hirsutus</i> (Pictet, 1834)	B	M	
<i>Limnephilus ignavus</i> McLachlan, 1865	B	M	
<i>Limnephilus incisus</i> Curtis, 1834	VU	B	M
<i>Limnephilus lunatus</i> Curtis, 1834	B	M	

<i>Limnephilus nigriceps</i> (Zetterstedt, 1840)	B	M
<i>Limnephilus politus</i> McLachlan, 1865	B	M
<i>Limnephilus rhombicus</i> (Linnaeus, 1758)	B	M
<i>Limnephilus sericeus</i> (Say, 1824)	B	
<i>Limnephilus sparsus</i> Curtis, 1834	B	M
<i>Limnephilus stigma</i> Curtis, 1834	B	M
<i>Limnephilus subcentralis</i> Brauer, 1857	B	M
<i>Limnephilus vittatus</i> (Fabricius, 1798)	B	M
<i>Nemotaulius punctatolineatus</i> (Retzius, 1783)	CR	B
<i>Radicoleptus alpestris</i> (Kolenati, 1848)	B	M
Limnephilinae: Chaetopterygini		
<i>Annitella obscurata</i> (McLachlan, 1876)	B	M
<i>Annitella thuringica</i> (Ulmer, 1909)	VU	B
<i>Chaetopterygopsis maclachlani</i> Stein, 1874	B	M
<i>Chaetopteryx fusca</i> Brauer, 1857		M
<i>Chaetopteryx major</i> McLachlan, 1876	B	M
<i>Chaetopteryx polonica</i> Dziędzielewicz, 1889	VU	M
<i>Chaetopteryx villosa</i> (Fabricius, 1798)	B	M
<i>Pseudopsilosopteryx zimmeri</i> (McLachlan, 1876)	B	M
<i>Psilopteryx psorosa psorosa</i> (Kolenati, 1860)	B	M
<i>Psilopteryx psorosa bohemosaxonica</i> Mey & Botosaneanu, 1985	B	
Limnephilinae: Stenophylacini		
<i>Acrophylax sowai</i> Szczęsny, 2007	EN	M
<i>Acrophylax zerberus</i> Brauer, 1867	EN	B
<i>Allogamus auricollis</i> (Pictet, 1834)	B	M
<i>Allogamus uncatus</i> (Brauer, 1857)	B	M
<i>Halesus digitatus</i> (Schrank, 1781)	B	M
<i>Halesus radiatus</i> (Curtis, 1834)	B	M
<i>Halesus rubricollis</i> (Pictet, 1834)	B	M
<i>Halesus tessellatus</i> (Rambur, 1842)	B	M
<i>Hydatophylax infumatus</i> (McLachlan, 1865)	B	M
<i>Melampophylax nepos</i> (McLachlan, 1880)	B	M
<i>Micropterna lateralis</i> (Stephens, 1837)	B	M
<i>Micropterna nycterobia</i> McLachlan, 1875	B	M
<i>Micropterna sequax</i> McLachlan, 1875	B	M

<i>Micropterna testacea</i> (Gmelin, 1789)	B	M	
<i>Parachiona picicornis</i> (Pictet, 1834)	B	M	
<i>Potamophylax carpathicus</i> (Dziędzielewicz, 1912)	VU	M	
<i>Potamophylax cingulatus cingulatus</i> (Stephens, 1837)	B	M	
<i>Potamophylax cingulatus alpinus</i> Tobias, 1994	B	M	
<i>Potamophylax cingulatus depilis</i> Szczęsny, 1994		M	
<i>Potamophylax latipennis</i> (Curtis, 1834)	B	M	
<i>Potamophylax luctuosus</i> (Piller & Mitterpacher, 1783)	B	M	
<i>Potamophylax nigricornis</i> (Pictet, 1834)	B	M	
<i>Potamophylax rotundipennis</i> (Brauer, 1857)	B	M	
<i>Stenophylax permistus</i> McLachlan, 1895	B	M	
<i>Stenophylax vibex</i> (Curtis, 1834)	VU	B	M

Sericostomatidae

<i>Oecismus monedula</i> (Hagen, 1859)	B	M
<i>Sericostoma personatum</i> (Spence, 1826)	B	M
<i>Sericostoma schneiderii</i> (Kolenati, 1848)	B	M
<i>Notidobia ciliaris</i> (Linnaeus, 1761)	B	M

Odontoceridae

<i>Odontocerum albicorne</i> (Scopoli, 1763)	B	M
--	---	---

Molannidae

<i>Molanna angustata</i> Curtis, 1834	B	M	
<i>Molanna nigra</i> (Zetterstedt, 1840)	CR	B	
<i>Molannodes tinctus</i> (Zetterstedt, 1840)	EN	B	M

Beraeidae

<i>Beraea maurus</i> (Curtis, 1834)	B	M	
<i>Beraea pullata</i> (Curtis, 1834)	B	M	
<i>Beraeodes minutus</i> (Linnaeus, 1761)	B	M	
<i>Beraeamyia hrabei</i> Mayer, 1937	EN	M	
<i>Ernodes articularis</i> (Pictet, 1834)	B	M	
<i>Ernodes vicinus</i> (McLachlan, 1879)	EN	B	M

Leptoceridae

<i>Adicella filicornis</i> (Pictet, 1834)	B	M	
<i>Adicella reducta</i> (McLachlan, 1865)	B	M	
<i>Triaenodes bicolor</i> (Curtis, 1834)	B	M	
<i>Ylodes simulans</i> (Tjeder, 1929)	CR	B	M
<i>Erotesis baltica</i> McLachlan, 1877	CR	B	
<i>Mystacides azurea</i> (Linnaeus, 1761)	B	M	
<i>Mystacides longicornis</i> (Linnaeus, 1758)	B	M	
<i>Mystacides nigra</i> (Linnaeus, 1758)	B	M	
<i>Athripsodes albifrons</i> (Linnaeus, 1758)	B	M	
<i>Athripsodes aterrimus</i> (Stephens, 1836)	B	M	
<i>Athripsodes bilineatus</i> (Linnaeus, 1758)	B	M	
<i>Athripsodes cinereus</i> (Curtis, 1834)	B	M	
<i>Athripsodes commutatus</i> (Rostock, 1874)	B	M	
<i>Athripsodes leucophaeus</i> (Rambur, 1842)	CR	B	M
<i>Ceraclea albimacula</i> (Rambur, 1842)	B	M	
(incl. <i>C. alboguttata</i> (Hagen, 1860))			
<i>Ceraclea annulicornis</i> (Stephens, 1836)	B	M	
<i>Ceraclea dissimilis</i> (Stephens, 1836)	B	M	
<i>Ceraclea fulva</i> (Rambur, 1842)	EN	B	M
<i>Ceraclea nigronervosa</i> (Retzius, 1783)	EN	B	M
<i>Ceraclea riparia</i> (Albarda, 1874)	RE	B	
<i>Ceraclea senilis</i> (Burmeister, 1839)	EN	B	M
<i>Setodes punctatus</i> (Fabricius, 1793)	CR	B	M
<i>Setodes viridis</i> (Fourcroy, 1785)	RE	B	
<i>Leptocerus interruptus</i> (Fabricius, 1775)	CR	B	M
<i>Leptocerus tineiformis</i> Curtis, 1834	B	M	
<i>Oecetis furva</i> (Rambur, 1842)	B	M	
<i>Oecetis lacustris</i> (Pictet, 1834)	B	M	
<i>Oecetis notata</i> (Rambur, 1842)	B	M	
<i>Oecetis ochracea</i> (Curtis, 1825)	B	M	
<i>Oecetis strickii</i> Klapálek, 1903	CR	B	M
<i>Oecetis testacea</i> (Curtis, 1834)	EN	B	M
<i>Oecetis tripunctata</i> (Fabricius, 1793)	CR	B	M

Explanatory notes:

B - Bohemia, M - Moravia (including southern part of Silesia); threat categories (according to Chvojka, Novák & Sedlák 2005): *RE* - regionally extinct, *CR* - critically endangered, *EN* - endangered, *VU* - vulnerable species, *DD* – data deficient.

References:

Chvojka P. & Komzák P. 2008. - The history and present state of Trichoptera research in the Czech Republic. Ferrantia, Travaux scientifiques du Musée national d'histoire naturelle Luxembourg 55: 11–21.

Chvojka P., Komzák P. & Špaček J. 2009 - New faunistic records of Trichoptera (Insecta) from the Czech Republic, III. Acta Musei Moraviae, Scientiae biologicae (Brno) 94: 81–85.

Chvojka P., Novák K. & Sedlák E. 2005. - Trichoptera (chrostíci) [třída / class: Insecta; řád / order: Trichoptera]: 168-171, in Farkač J., Král D. & Škorpík M. (eds), Red List of Threatened Species in the Czech Republic. Invertebrates. Agentura ochrany přírody a krajiny ČR, Praha. (in Czech and English)

Malicky H. 2005. - Ein kommentiertes Verzeichnis der Köcherfliegen (Trichoptera) Europas und des Mediterrangebietes. Linzer biologische Beiträge 37: 533–596.