

Monografie a kapitoly v monografiích

Canning E.U., Lom J., with contribution of **Dyková I.** 1986: The Microsporidia of Vertebrates. Academic Press, London, 289 pp.

Lom J., **Dyková I.** 1989: Protozoárni paraziti užitkových ryb. Český rybářský svaz, 102 pp.

Lom J., **Dyková I.** 1992: Protozoan Parasites of Fishes. Developments in aquaculture and fisheries science. Vol. 26. Elsevier, Amsterdam, 328 pp.

Overstreet R.M., **Dyková I.**, Hawkins W. 1992: Branchiura (Chapter 8). In: F.W. Harrison (Ed.), Microscopic Anatomy of Invertebrates. Vol. 9. Crustacea. Wiley-Liss, New York, pp. 385–413.

Dyková I. 1995: Phylum Microspora. In: P.T.K. Woo (Ed.), Fish Diseases and Disorders. Vol. 1. Protozoan and Metazoan Infections. CAB International, Wallingford, UK, pp. 149–179.

Lom J., **Dyková I.** 1995: Myxosporea (Phylum Myxozoa). In : P.T.K. Woo (Ed.), Fish Diseases and Disorders. Vol. 1. Protozoan and Metazoan Infections. CAB International, Wallingford, UK, pp. 97–148.

Cerenius L., **Dyková I.**, Gelder S.R., Henttonen P., Jiravanichpaisal P., Lom J., Söderhäll K. 2006: Pathogens, parasites and ectocommensals. In: C. Souty-Grosset, D.M. Holdich, P.Y. Noël, D.J. Reynolds and P. Haffner (Eds.), Atlas of Crayfish in Europe. Publications Scientifiques du MNHN, Patrimoines Naturels, Vol. 64. Muséum National d'Histoire Naturelle, Paris, pp. 133–149.

Dyková I. 2006: Phylum Microspora. In P.T.K. Woo (Ed.), Fish Diseases and Disorders. Vol. 1: Protozoan and Metazoan Infections (2nd Edition). CABI Publishing, Wallingford, Oxfordshire, U.K., pp. 203–227.

Dyková I. 2008: Amoeboïd protists as parasites of fish. In: J.C. Eiras, H. Segner, T. Wahli and B.G. Kapoor (Eds.), Fish Diseases. Vol. 1, Chapter 8. Science Publishers, Enfield, New Hampshire, USA, pp. 397–420.

Dyková I., Lom J. 2007: Histopathology of Protistan and Myxozoan Infections in Fishes: An Atlas. Academia, Praha, 220 pp.

Dyková I., Kostka M. 2013: Illustrated Guide to Culture Collection of Free-living Amoebae. Academia, Praha, 363 pp.

Výběr z článků v časopisech

Dyková I., Figueras A., Novoa B. 1995: Amoebic gill infection of turbot, *Scophthalmus maximus*. Folia Parasitol. 42: 91–96.

Lom J., **Dyková I.** 1995: New species of the genera *Zschokkella* and *Ortholinea* (Myxozoa) from the Southeast Asian teleost fish, *Tetraodon fluviatilis*. Folia Parasitol. 42: 161–168.

Lom J., **Dyková I.** 1995: Studies on protozoan parasites of Australian fishes. Notes on coccidian parasites with description of three new species. *Syst. Parasitol.* 31: 147–156.

Lom J., Noga E. J., **Dyková I.** 1995: Occurrence of a microsporean with characteristics of *Glugea anomala* in ornamental fish of the family Cyprinodontidae. *Dis. Aquat. Org.* 21: 239–242.

Dyková I., Lom J., Macháčková B., Sawyer T.K. 1996: Amoebic infections in goldfishes and granulomatous lesions. *Folia Parasitol.* 43: 81–90.

Lom J., **Dyková I.** 1996: Notes on ultrastructure of two myxosporean (Myxozoa) species, *Zschokkella pleomorpha* and *Ortholinea fluviatilis*. *Folia Parasitol.* 43: 189–202.

Schlegel M., Lom J., Stechmann A., Bernhard D., Leipe D., **Dyková I.**, Sogin M.L. 1996: Phylogenetic analysis of complete small subunit ribosomal RNA coding region of *Myxidium lieberkuehni*: Evidence that Myxozoa are Metazoa and related to Bilateria. *Arch. Protistenkd.* 147: 1–9.

Dyková I., Lom J. 1997: Light and electron microscope observations on *Sphaerospora ojiroveci* n. sp. (Myxozoa) from the kidney of *Pangasius sutchi* (Teleostei). *Eur. J. Protistol.* 33: 444–451.

Dyková I., Macháčková B., Pecková H. 1997: Amoebae isolated from organs of farmed tilapias, *Oreochromis niloticus*. *Folia Parasitol.* 44: 81–90.

Lom J., **Dyková I.** 1997: Ultrastructural features of the actinosporean phase of myxosporea (phylum Myxozoa): a comparative study. *Acta Protozool.* 36: 83–103.

Lom J., Yokoyama H., **Dyková I.** 1997: Comparative ultrastructure of *Aurantiactinomyxon* and *Raaberia*, actinosporean stages or myxozoan life cycles. *Arch. Protistenkd.* 148: 173–189.

Dyková I., Figueras A., Novoa B., Fernandez Casal J. 1998: *Paramoeba* sp., an agent of amoebic gill disease of turbot *Scophthalmus maximus*. *Dis. Aquat. Org.* 33: 137–141.

Dyková I., Lom J., Macháčková B. 1998: *Cochliopodium minus*, a scale-bearing amoeba isolated from organs of perch *Perca fluviatilis*. *Dis. Aquat. Org.* 34: 205–210.

Dyková I., Macháčková B., Pecková H. 1998: *Vexillifera expectata* sp. n. and other non-encysting amoebae isolated from organs of freshwater fish. *Folia Parasitol.* 45: 17–26.

Overath P., Ruoff J., Stierhof Y.D., Haag J., Tichy H., **Dyková I.**, Lom J. 1998: Cultivation of bloodstream forms of *Trypanosoma carassii*, a common parasite of freshwater fish. *Parasitol. Res.* 84: 343–347.

Dyková I., Figueras A., Novoa B. 1999: Epizoic amoebae from the gills of turbot *Scophthalmus maximus*. *Dis. Aquat. Org.* 38: 33–38.

Dyková I., Lom J. 1999: *Nosema notabilis* (Microsporidia), its ultrastructure and effect on the myxosporean host *Ortholinea polymorpha*. *Dis. Aquat. Org.* 35: 69–76.

Dyková I., Lom J., Schroeder-Diedrich J.M., Booton G.C., Byers T. J. 1999: *Acanthamoeba* strains isolated from organs of freshwater fishes. *J. Parasitol.* 85: 1106–1113.

Figueroa F., Mayer W.E., Lom J., **Dyková I.**, Weller M., Pecková H., Klein J. 1999: Fish trypanosomes: their position in kinetoplastid phylogeny and variability as determined from 12S rRNA gene sequences. *J. Eukaryot. Microbiol.* 46: 473–481.

Lom J., **Dyková I.**, Tonguthai K. 1999: *Kabataia* gen. n., new genus proposed for *Microsporidium* spp. infecting trunk muscles. *Dis. Aquat. Org.* 38: 39–46.

Dyková I., Figueras A., Peric Z. 2000: *Neoparamoeba* Page, 1987: light and electron microscopic observations on six strains of different origin. *Dis. Aquat. Org.* 43: 217–223.

Dyková I., Lom J. 2000: Histopathology of *Kabatana arthuri* (Microspora) infection in sutchi catfish, *Pangasius sutchi*. *Folia Parasitol.* 47: 161–166.

Lom J., **Dyková I.**, Tonguthai K. 2000: *Kabatana* gen. n., new name for the microsporidian genus *Kabataia* Lom, Dykova et Tonguthai, 1999. *Folia Parasitol.* 47: 78.

Lom J., **Dyková I.**, Wang C. H., Kou G.H. 2000: Ultrastructural justification for the transfer of *Pleistophora anguillarum* Hoshina, 1959 to the genus *Heterosporis* Schubert, 1969. *Dis. Aquat. Org.* 43: 225–231.

Dyková I., Kyselová I., Pecková H., Oborník M., Lukeš J. 2001: Identity of *Naegleria* strains isolated from organs of freshwater fishes. *Dis. Aquat. Org.* 46: 115–121.

Dyková I., Novoa B. 2001: Comments on diagnosis of amoebic gill disease (AGD) in turbot, *Scophthalmus maximus*. *Bull. Eur. Assoc. Fish Pathol.* 21: 40–44.

Lom J., Nielsen F., **Dyková I.** 2001: *Thelohania contejeani* Henneguy, 1892: dimorphic life cycle and taxonomic affinities, as indicated by ultrastructural and molecular study. *Parasitol. Res.* 87: 860–872.

Dyková I., Fajer E.J., Fiala I. 2002: *Kudoa dianae* sp. n. (Myxosporea: Multivalvulida), a new parasite of bullseye puffer, *Sphoeroides annulatus* (Tetraodontiformes: Tetraodontidae). *Folia Parasitol.* 49: 17–23.

Dyková I., Fiala I., Nie P. 2002: *Myxobolus lentisuturalis* sp. n. (Myxozoa: Myxobolidae), a new muscle-infecting species from the Prussian carp, *Carassius gibelio* from China. *Folia Parasitol.* 49: 253–258.

Dyková I., Veverková M., Fiala I., Macháčková B. 2002: A free-living amoeba with unusual pattern of mitochondrial structure isolated from Atlantic salmon, *Salmo salar* L. *Acta Protozool.* 41: 415–419.

Lom J., **Dyková I.** 2002: Ultrastructure of *Nucleospora secunda* n. sp. (Microsporidia), parasite of enterocytes of *Nothobranchius rubripinnis*. *Eur. J. Protistol.* 38: 19–27.

Moravec F., Van As J. G., **Dyková I.** 2002: *Proleptus obtusus* Dujardin, 1845 (Nematoda: Physalopteridae) from the puffader shyshark *Haploblepharus edwardsii* (Scyliorhinidae) from off South Africa. *Syst. Parasitol.* 53: 169–173.

Nowak B., Carson J., Powell M.D., **Dyková I.** 2002: Amoebic Gill Disease in the marine environment. *Bull. Eur. Assoc. Fish Pathol.* 22: 144–147.

Veverková M., **Dyková I.**, Pecková H. 2002: Experimental study on pathogenic potential of six *Acanthamoeba* strains isolated from fish. *Folia Parasitol.* 49: 243–245.

Dyková I., Fiala I., Lom J. Lukeš J. 2003: *Perkinsiella amoebae*-like endosymbionts of *Neoparamoeba* spp., relatives of the kinetoplastid *Ichthyobodo*. *Eur. J. Protistol.* 39: 53–61.

Dyková I., Fiala I., Nie P. 2003: New data on *Myxobolus longisporus* (Myxozoa: Myxobolidae), a gill infecting parasite of carp, *Cyprinus carpio haematopterus*, from Chinese lakes. *Folia Parasitol.* 50: 263–268.

Dyková I., Veverková M., Fiala I., Macháčková B., Pecková H. 2003: *Nuclearia pattersoni* sp. n. (Filosea, a new species of amphizoic amoeba isolated from gills of roach (*Rutilus rutilus*)), and its rickettsial endosymbiont. *Folia Parasitol.* 50: 161–170.

Fiala I., **Dyková I.** 2003: Molecular characterisation of *Neoparamoeba* strains isolated from gills of *Scophthalmus maximus*. *Dis. Aquat. Org.* 55: 11–16.

Grossel G.W., **Dyková I.**, Handliger J., Munday B.L. 2003: *Pentacapsula neurophila* sp. n. (Multivalvulida) from the central nervous system of stripped trumpeter, *Latris lineata* (Forster). *J. Fish Dis.* 26: 315–320.

Pekkarinen M., Lom J., Murphy C.A., Ragan M.A., **Dyková I.** 2003: Phylogenetic position and ultrastructure of two *Dermocystidium* species (Ichthyosporea) from the common perch (*Perca fluviatilis*). *Acta Protozool.* 42: 287–307.

Dyková I., Lom J. 2004: Advances in the knowledge of amphizoic amoebae infecting fish. *Folia Parasitol.* 51: 81–97.

Fiala I., **Dyková I.** 2004: The phylogeny of marine and freshwater species of the genus *Chloromyxum* Mingazzini, 1890 (Myxosporea: Bivalvulida) based on small subunit ribosomal RNA gene sequences. *Folia Parasitol.* 51: 211–214.

Gurney R.H., Nowak B.F., **Dyková I.**, Kuris A.M. 2004: Histopathological effects of trypanorhynch metacestodes in the digestive gland of a novel host, *Carcinus maenas* (Decapoda). *Dis. Aquat. Org.* 58: 63–69.

Koubková B., Baruš V., Prokeš M., **Dyková I.** 2004: *Raphidascaris acus* (Bloch, 1779) larvae infections of the stone loach, *Barbatula barbatula* (L.), from the River Haná, Czech Republic. *J. Fish Dis.* 27: 65–71.

Dyková I., Boháčová L., Fiala I., Macháčková B., Pecková H., Dvořáková H. 2005: Fish-isolated amoebae of the genera *Vannella* Bovee, 1965 and *Platyamoeba* Page, 1969 and their phylogeny inferred from SSU rRNA gene and ITS sequences. *Eur. J. Protistol.* 41: 219–230.

Dyková I., Pecková H., Fiala I., Dvořáková H. 2005: *Filamoeba sinensis* sp. n., a second species of the genus *Filamoeba* Page, 1967, isolated from gills of *Carassius gibelio* (Bloch, 1782). *Acta Protozool.* 44: 75–80.

Dyková I., Pindová Z., Fiala I., Dvořáková H., Macháčková B. 2005 : Fish-isolated strains of *Hartmanella vermiformis* Page, 1967: morphology, phylogeny and molecular diagnosis in tissue lesions. *Folia Parasitol.* 52: 295–333.

Dyková I., Nowak B., Crosbie P.B.B., Fiala I., Pecková H., Adams M.B., Macháčková B., Dvořáková H. 2005: *Neoparamoeba branchiphila* sp. n., and related species of the genus *Neoparamoeba* Page, 1987: morphological and molecular characterisation of selected strains. *J. Fish. Dis.* 28: 49–64.

Dyková I., Veverková-Fialová M., Fiala I., Dvořáková H. 2005: *Protacanthamoeba bohemica* n. sp., isolated from the liver of tench, *Tinca tinca* (Linnaeus, 1758). *Acta Protozool.* 44: 369–376.

Lom J., **Dyková I.** 2005: Microsporidian xenomas in fish seen in wider perspective. *Folia Parasitol.* 52: 69–81.

Dyková I., Pecková H., Fiala I., Dvořáková H. 2006: Fish-isolated *Naegleria* strains and their phylogeny inferred from ITS and SSU rDNA sequences. *Folia Parasitol.* 53: 172–180.

Lom J., **Dyková I.** 2006: Myxozoan genera: definition and notes on taxonomy, life-cycle terminology and pathogenic species. *Folia Parasitol.* 53: 1–36.

Moravec F., Scholz T., **Dyková I.**, Kuchta R., Fiala I., Kohn A. 2006: Redescription of *Alinema amazonicum* (Travassos, 1960) n. comb., a philometrid nematode with unusual morphology. *J. Parasitol.* 92: 138–144.

Dyková I., Lom J., Dvořáková H., Pecková H., Fiala I. 2007: *Didymium*-like myxogastrids (class Mycetozoa) as endocommensals of sea urchins (*Sphaerechinus granularis*). *Folia Parasitol.* 54: 1–12.

Dyková I., Nowak B., Pecková H., Fiala I., Crosbie P., Dvořáková H. 2007: Phylogeny of *Neoparamoeba* strains isolated from marine fish and invertebrates as inferred from SSU rDNA sequences. *Dis. Aquat. Org.* 74: 57–65.

Dyková I., Tyml T., Fiala I., Lom J. 2007: New data on *Soricimyxum segati* (Myxozoa) including analysis of its phylogenetic position inferred from the SSU rRNA gene sequence. *Folia Parasitol.* 54: 272–276.

Reed C.C., Basson L., Van As L.L., **Dyková I.** 2007: Four new myxozoans, *Ceratomyxa dehoopi* sp. n., *C. cottoidii* sp. n., *C. honckenii* sp. n. and *Henneguya clini* sp. n., from intertidal fishes along the south coast of Africa. *Folia Parasitol.* 54: 283–292.

Dyková I., Fiala I., Dvořáková H., Pecková H. 2008: Living together: Marine amoeba *Thecamoeba hilla* Schaeffer, 1926 and its endosymbiont *Labyrinthula* sp. Eur. J. Protistol. 44: 308–316.

Dyková I., Fiala I., Pecková H. 2008: *Neoparamoeba* spp. and their eukaryotic endosymbionts similar to *Perkinsela amoebae* (Hollande, 1980): Coevolution demonstrated by SSU rRNA gene phylogenies. Eur. J. Protistol. 4: 269–277.

Dyková I., Fiala I., Pecková H., Dvořáková H. 2008: Phylogeny of flabellulids inferred from SSU rDNA sequences of the type strain of *Flabellula citata* Schaeffer, 1926 and newly isolated strains of marine amoebae. Folia Parasitol. 55: 256–264.

Dyková I., Kostka M., Pecková H. 2008: Morphology and SSU rDNA-based phylogeny of a new strain of *Saccamoeba* sp. (*Saccamoeba* Frenzel, 1892, Amoebozoa) Acta Protozool. 47: 397–405.

Dyková I., Pecková H., Kostka M. 2008: Introduction of *Mayorella gemmifera* Schaeffer, 1926 into phylogenetic studies of Amoebozoa. Acta Protozool. 47: 205–210.

Růžek D., Salát J., Palus M., Gritsun T.S., Gould E.A., **Dyková I.**, Skallová A., Jelínek J., Kopecký J., Grubhoffer L. 2008: CD8⁺ T-cells mediate immunopathology in tick-borne encephalitis. Virology 384: 1–6.

Young N.D., **Dyková I.**, Nowak B., Morrison R.N. 2008: Development of a diagnostic PCR to detect *Neoparamoeba perurans*, agent of amoebic gill disease. J. Fish Dis. 31: 285–295.

Young N.D., **Dyková I.**, Snekvik K., Nowak B.F., Morrison R.N. 2008: *Neoparamoeba perurans* is a cosmopolitan aetiological agent of amoebic gill disease. Dis. Aquat. Org. 78: 217–223.

Dyková I., De Buron I., Fiala I., Roumillat W.A. 2009: *Kudoa inornata* sp. n. (Myxosporea: Multivalvulida) from the skeletal muscles of *Cynoscion nebulosus* (Teleostei: Sciaenidae). Folia Parasitol. 56: 91–98.

Dyková I., Hrubá L., Kostka M., Pecková H. 2009: *Filamoeba* sp. isolated from hot-water piping system, a host of legionella closely related to *Legionella micdadei*. Acta Protozool. 48: 319–325.

Lovy J., M. Kostka, **Dyková I.**, Arsenault G., Pecková H., Wright G.M., Speare D.J. 2009: Phylogeny and morphology of *Glugea hertwigi* from rainbow smelt *Osmerus mordax* found in Prince Edward Island, Canada. Dis. Aquat. Org. 86: 235–243.

Svobodová Z., Kolářová J., **Dyková I.**, Hamáčková J., Kouřil J. 2009: Infection by *Capriniana piscium* (Buetschli, 1889) Jankovski, 1973, a cause of rainbow trout (*Oncorhynchus mykiss*) kill. Bull. Eur. Assoc. Fish Pathol. 29: 92–96.

Dyková I., Kostka M., Pecková H. 2010: *Grellamoeba robusta* gen. n., sp. n., a possible member of the family Acramoebidae Smirnov, Nassonova et Cavalier-Smith, 2008. Eur. J. Protistol. 46: 77–85.

Dyková I., Kostka M., Pecková H. 2010: Two new species of the genus *Stenamoeba* Smirnov, Nassonova, Chao et Cavalier-Smith, 2007. *Acta Protozool.* 49: 245–251.

Dyková I., Kostka M., Wortberg F., Nardy E., Pecková H. 2010: New data on aetiology of nodular gill disease in rainbow trout, *Oncorhynchus mykiss*. *Folia Parasitol.* 57: 157–163.

Dyková I., Tymš T., Kostka M., Pecková H. 2010: Strains of *Uronema marinum* (Scuticociliatia Lynn et Small, 1997) co-isolated with amoebae of the genus *Neoparamoeba* Page, 1987. *Dis. Aquat. Org.* 89: 71–77.

Lovy J., Wright G.M., Speare D. J., Tymš T., **Dyková I.** 2010: Comparative ultrastructure of Langerhans-like cells in spleens of ray-finned fishes (Actinopterygii). *J. Morphol.* 271: 1229–1239

Ditrich O., Chrdle A., Sak B., Chmelík V., Kubále J., **Dyková I.**, Kváč M. 2011: *Encephalitozoon cuniculi* genotype I as a causative agent of brain abscesses in an immunocompetent patient. *J. Clin. Microbiol.* 49: 2769–2771.

Dyková I., de Buron I., Roumillat W.A., Fiala I. 2011: *Henneguya cynoscioni* sp. n. (Myxosporea: Bivalvulida), an agent of severe cardiac lesions in the spotted seatrout, *Cynoscion nebulosus* (Teleostei: Sciaenidae). *Folia Parasitol.* 58: 169–177.

Dyková I., Kostka M., Pecková H. 2011: Three new species of the amoebozoan genus *Vexillifera* Schaeffer, 1926. *Acta Protozool.* 50: 55–63.

Dyková I., Lorenzo-Morales J., Kostka M., Valladares B., Pecková H. 2011: *Neoparamoeba branchiphila* isolated from moribund sea urchins *Diadema antillarum* (Philippi) (Echinoidea, Echinodermata) in Tenerife, Canary Islands, Spain. *Dis. Aquat. Org.* 95: 225–231.

Dyková I., Tymš T., Kostka M. 2011: Xenoma-like formations induced by *Soricimyxum fegati* (Myxosporea) in three species of shrews (Soricomorpha: Soricidae), including records of new hosts. *Folia Parasitol.* 58: 249–256.

Hartigan A., Fiala I., **Dyková I.**, Jirků M., Okimoto B., Rose K., Phalen D.N., Šlapeta J. 2011: A suspected parasite spill-back of two novel *Myxidium* spp. (Myxosporea) causing disease in Australian endemic frogs found in the invasive Cane toad. *PLoS ONE* 6(4): e18871. doi: 10.1371/journal.pone.0018871

Moravec F., Fiala I., **Dyková I.** 2011: New data on the morphology of *Dichelyne hartwichi* (Nematoda: Cucullanidae), a parasite of freshwater tetraodontid fishes (*Tetraodon* spp.) in Thailand. *Acta Parasitol.* 56: 433–437.

Dyková I., Kodádková A., De Buron I., Fiala I., Roumillat W.A. 2012: *Sinuolinea* infections in the urinary system of *Cynoscion* species (Sciaenidae) and phylogenetic position of the type species of *Sinuolinea* Davis, 1917 (Myxozoa: Myxosporea). *Online version:* *Int. J. Parasitol. Parasit. Wildl.* <http://dx.doi.org/10.1016/j.ijppaw.2012.11.004> *Printed version:* *Int. J. Parasitol. Parasit. Wildl.* 2 (2013): 10–17.

Hartigan A., Fiala I., **Dyková I.**, Rose K., Phalen D.N., Šlapeta J. 2012: New species of Myxosporea from frogs and resurrection of the genus *Cystodiscus* Lutz, 1889 for species with myxospores in gallbladders of amphibians. Parasitology 139: 478–496.

Palíková M., Navrátil S., **Dyková I.**, Pavlík I., Slaný M., Tichý F., Novotný L., Zendulková D., Kříž P., Laichmanová M., Mareš J. 2012: Archamoeba infection manifested by granulomatous inflammatory lesions in European tench, *Tinca tinca* (L.). Bull. Eur. Assoc. Fish Pathol. 32: 174–179.